

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	application and data and receiving and converting and message and protocol and maximum and response and destination and address and format and compatible and "709".\$.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 09:03
S2	413	application and data and receiving and converting and message and protocol and maximum and response and destination and address and format and compatible and "709"/\$.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:18
S3	1	10/673941	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 09:04
S4	3	application and data and receiving and converting and message and protocol and maximum and response and destination and address and format and compatible and "709"/207.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:15
S5	6	application and data and receiving and ((converting near3 message) with format\$4) and protocol and maximum and response and (destination near3 address) and compatible and "709"/\$.ccls. and sending and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:39
S6	112	hettish.in. or virk.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:43

EAST Search History

S7	0	(hettish.in. or virk.in.) and seimens.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:43
S8	37	(hettish.in. or virk.in.) and siemens.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:11
S9	6	(hettish.in. or virk.in.) and siemens.as. and conver\$4 and messag\$3 and destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:29
S10	3	(hettish.in. or virk.in.) and siemens.as. and (conver\$4 near3 messag\$3) and destination	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:30
S11	963	("20010023445" "20030105812" "6108337" "5761282" "5524145" "5892753" "5644632" "7024460" "20030028606" "5734651" "5619645" "5644718" "4412285" "4884263" "5390169" "5583929" "6085224" "20050053050" "20060215695" "6212535" "5668860" "5761534" "4550398" "4540856" "5956344" "6044247" "5909493" "6064671" "5467344" RE36716 "5539807" "5909546" "6182139" "6195686" "4817127" "5563878" "6151137" "20060215697" "20070087766" "6912590" "4390750" "4858112" "6728885" "6879678" "6549617" "6675218" "5844970" "5864612" "6078733") and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:17

EAST Search History

S12	0	S11 and @ad<"20030929" and (((receiv\$3 near3 data) with applicat\$3) with messag\$3) and (destinat\$3 near3 address\$3) and (conver\$4 with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:21
S13	65	@ad<"20030929" and (((receiv\$3 near3 data) with applicat\$3) with messag\$3) and (destinat\$3 near3 address\$3) and (conver\$4 with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:21
S14	11	("5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247") and @ad<"20030929" and (((receiv\$3 near3 data) with applicat\$3) with messag\$3) and (destination near3 address\$3) and ((conver\$4 near3 messag\$3) with format\$4) and (send\$3 near3 messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:01
S15	339	("5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247") and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:45

EAST Search History

S16	303	("5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247") and protocol and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:46
S17	2	("5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247") and protocol and @ad<"20030929" and (((receiv\$3 near3 data) with application) with messag\$3) and (send\$3 with destination with address\$3) and ((convert\$3 near3 messag\$3) with format\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:20
S18	7	"6122671" and conver\$4 and messag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 15:47
S19	7	"6122671" and (data with messag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:10
S20	5	"6122671" and (receiv\$3 with protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:10

EAST Search History

S21	185	("5740231" "6363411" "20030212739" "20020165912" "20020032725" "20030041110" "20020194286" "20020161847" "20010047406" "7213061" "6779030" "6981041" "20020199001" "5978846" "20020087704" "6920502" "7165114" "6023730" "6122671" "7213078" "6826625" "6892247") and (protocol same (reciev\$3 or address\$3 or provid\$3 or siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:32
S22	5	"709"/\$.ccls. and (protocol same (reciev\$3 and address\$3 and provid\$3 and siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:09
S23	0	(protocol same (reciev\$3 and (messag\$3 with address\$3) and provid\$3 and siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:50
S24	0	(protocol same reciev\$3) and (protocol same (messag\$3 with address\$3)) and (protocol same provid\$3) and (protocol same siz\$3) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:51
S25	2	(protocol same reciev\$3) and (protocol same (messag\$3 same address\$3)) and (protocol same provid\$3) and (protocol same siz\$3) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:51
S26	7714	"709"/\$.ccls. and (protocol same ((reciev\$3 near3 data) or ((destination or send\$3) near3 address\$3) or ((service near3 provid\$3) or isp) or (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:13

EAST Search History

S27	0	"709"/\$.ccls. and (protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:14
S28	0	(protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:14
S29	1451	(protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) or (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:15
S30	224	(protocol same ((reciev\$3 near3 data) and ((destination or send\$3) near3 address\$3) or ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:15
S31	121	(protocol same ((reciev\$3 near3 data) or ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:48
S32	10	((protocol same ((reciev\$3 near3 data) or ((destination or send\$3) near3 address\$3) and ((service near3 provid\$3) or isp) and (maximum near3 siz\$3))) same messag\$3) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 17:48

EAST Search History

S33	18	("20030023710" "6704768" "20010037358" "20050055406" "6389462" "7024474" "20020156886" "20020156885" "6640248" "7003571" "6981047" "6546425" "20020147826" "20020124095" "20020052968" "20020042836" "20010016878" "20020026523" "20010034791" "6912588" "6954800" "20030120811" "7000031" "20020099854" "6877043") and @ad<"20030929" and ((incoming or outgoing ot type) near3 messag\$3) and ((destination or send\$3) near3 address\$3) and ((servic\$3 near3 provid\$3) or isp) and (maximum near3 siz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:03
S34	18	("20030023710" "6704768" "20010037358" "20050055406" "6389462" "7024474" "20020156886" "20020156885" "6640248" "7003571" "6981047" "6546425" "20020147826" "20020124095" "20020052968" "20020042836" "20010016878" "20020026523" "20010034791" "6912588" "6954800" "20030120811" "7000031" "20020099854" "6877043") and @ad<"20030929" and ((incoming or outgoing ot type) near3 messag\$3) and ((destination or send\$3) near3 address\$3) and ((servic\$3 near3 provid\$3) or isp) and (maximum near3 siz\$3) and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:04
S35	10252	smtp or sendmail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53
S36	10027	smtp or sendmail and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53

EAST Search History

S37	10027	smtp or sendmail and "709"/2\$2. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:59
S38	9908	smtp or sendmail and "709"/207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:04
S39	9905	smtp or sendmail and "709"/204. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:05
S40	9906	smtp or sendmail and "709"/205. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:05
S41	9903	smtp or sendmail and "709"/208. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S42	9907	smtp or sendmail and "709"/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S43	9907	smtp or sendmail and 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06

EAST Search History

S44	185	(smtp or sendmail) and 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S45	195	(smtp or sendmail) and 709/207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:06
S46	124	(smtp or sendmail) and 709/204. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S47	88	(smtp or sendmail) and 709/200. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S48	110	(smtp or sendmail) and 709/201. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S49	125	(smtp or sendmail) and 709/202. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S50	547	(smtp or sendmail) and 709/203. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07

EAST Search History

S51	124	(smtp or sendmail) and 709/204. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S52	66	(smtp or sendmail) and 709/205. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S53	1211	(smtp or sendmail) and 709/206. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S54	195	(smtp or sendmail) and 709/207. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S55	15	(smtp or sendmail) and 709/208. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S56	9	(smtp or sendmail) and 709/209. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S57	0	(smtp or sendmail) and 709/210. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07

EAST Search History

S58	4	(smtp or sendmail) and 709/211. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:07
S59	10	(smtp or sendmail) and 709/212. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S60	32	(smtp or sendmail) and 709/213. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S61	6	(smtp or sendmail) and 709/214. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S62	4	(smtp or sendmail) and 709/215. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S63	9	(smtp or sendmail) and 709/216. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S64	330	(smtp or sendmail) and 709/217. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08

EAST Search History

S65	133	(smtp or sendmail) and 709/218. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S66	290	(smtp or sendmail) and 709/219. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S67	130	(smtp or sendmail) and 709/220. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S68	35	(smtp or sendmail) and 709/221. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S69	27	(smtp or sendmail) and 709/222. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S70	368	(smtp or sendmail) and 709/223. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S71	442	(smtp or sendmail) and 709/224. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08

EAST Search History

S72	188	(smtp or sendmail) and 709/225. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:08
S73	130	(smtp or sendmail) and 709/226. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S74	260	(smtp or sendmail) and 709/227. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S75	143	(smtp or sendmail) and 709/228. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S76	203	(smtp or sendmail) and 709/229. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S77	185	(smtp or sendmail) and 709/230. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S78	63	(smtp or sendmail) and 709/231. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09

EAST Search History

S79	82	(smtp or sendmail) and 709/232. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S80	19	(smtp or sendmail) and 709/233. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S81	13	(smtp or sendmail) and 709/234. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:09
S82	23	(smtp or sendmail) and 709/235. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S83	39	(smtp or sendmail) and 709/236. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S84	29	(smtp or sendmail) and 709/237. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S85	177	(smtp or sendmail) and 709/238. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10

EAST Search History

S86	31	(smtp or sendmail) and 709/239. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S87	14	(smtp or sendmail) and 709/240. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S88	4	(smtp or sendmail) and 709/241. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S89	20	(smtp or sendmail) and 709/242. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S90	6	(smtp or sendmail) and 709/243. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S91	12	(smtp or sendmail) and 709/244. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S92	174	(smtp or sendmail) and 709/245. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10

EAST Search History

S93	12	(smtp or sendmail) and 709/244. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:10
S94	174	(smtp or sendmail) and 709/245. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S95	171	(smtp or sendmail) and 709/246. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S96	24	(smtp or sendmail) and 709/247. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S97	27	(smtp or sendmail) and 709/248. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S98	92	(smtp or sendmail) and 709/249. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S99	70	(smtp or sendmail) and 709/250. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11

EAST Search History

S10 0	15	(smtp or sendmail) and 709/251. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S10 1	1	(smtp or sendmail) and 709/252. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:11
S10 2	5	(smtp or sendmail) and 709/253. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:12
S10 3	1211	(smtp or sendmail) and 709/206. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:13
S10 4	1131	(smtp or sendmail) and 709/206. ccls. and protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:16
S10 5	1129	(smtp or sendmail) and 709/206. ccls. and protocol and ((outgoing or outbound or sent or send\$3) or ((destination or recipient) near3 address\$3) or ((incoming or inbound or recei\$4) with address\$3) or (isp or (servic\$3 near3 provid\$3)) or (maximum near3 siz\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:34

EAST Search History

S10 6	714	(smtp or sendmail) and 709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) or ((destination or recipient) near3 address\$3) or ((incoming or inbound or recei\$4) with address\$3) or (isp or (servic\$3 near3 provid\$3)) or (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:34
S10 7	11	(smtp or sendmail) and 709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) and ((destination or recipient) near3 address\$3) and ((incoming or inbound or recei\$4) with address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:38
S10 8	17	709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) and ((destination or recipient) near3 address\$3) and ((incoming or inbound or recei\$4) with address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:47
S10 9	13	709/206.ccls. and protocol and ((outgoing or outbound or sent or send\$3) and ((destination or recipient) near3 address\$3) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:48
S11 0	10	709/206.ccls. and protocol and (((outgoing or outbound or sent or send\$3) with ((destination or recipient) near3 address\$3)) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3)) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:49

EAST Search History

S11 1	1	709/206.ccls. and (protocol same (((outgoing or outbound or sent or send\$3) with ((destination or recipient) near3 address\$3)) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:50
S11 2	5	(protocol same (((outgoing or outbound or sent or send\$3) with ((destination or recipient) near3 address\$3)) and ((incoming or inbound or recei\$4) near3 address\$3) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:06
S11 3	1	(protocol same (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) near3 address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:10
S11 4	1	(protocol same (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) with address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:11
S11 5	73	(protocol and (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) with address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:23

EAST Search History

S11 6	1	(protocol same (((outgoing or outbound or sent or send\$3) with (messag\$3 or email or e-mail)) with ((destination or recipient) near3 address\$3)) and (((incoming or inbound or recei\$4) with address\$3) with (messag\$3 or email or e-mail)) and (isp or (servic\$3 near3 provid\$3)) and (maximum near3 siz\$3))) and @ad<"20030929"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 11:24
S11 7	8	("6122671" or "6993026") and (isp or (servic\$3 near3 provid\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/04 16:44
S11 8	1	("6122671" or "6993026") and (conver\$4 with messag\$3) and format and compatible and (maximum with siz\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 11:57
S11 9	1	("6122671" or "6993026") and (conver\$4 with messag\$3) and format and compatible and ((max\$4 or exce\$5) with siz\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 12:46
S12 0	2	"6993026" and ((max\$4 or exce\$5) with siz\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 12:08
S12 1	1	("6122671" or "6993026") and ((send\$3 same respon\$4 same messag\$3) and deliver\$3 and destination and address\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:08
S12 2	1	(10/673941) and (first and second and third and fourth)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:33
S12 3	17885	@ad<"20030929" and ((first and second and third and fourth) near3 (data\$4 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:36
S12 4	997	@ad<"20030929" and ((first and second and third and fourth) near3 (data\$4 or messag\$3)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:38
S12 5	16	@ad<"20030929" and ((first and second and third and fourth) near3 (data\$4 or messag\$3)) and "709"/207.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 14:39

EAST Search History

S12 6	5	("6122671" or "6993026" or "7058087") and (("not" or fail\$3 or error) near4 (deliver\$3 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:10
S12 7	5	("6122671" or "6993026" or "7058087") and (("not" or fail\$3 or error or notif\$7) near4 (deliver\$3 or messag\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/05 16:40
S12 8	9	("6122671" or "6993026" or "7058087") and (protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/06 10:41
S12 9	8	("6122671" or "6993026" or "7058087") and (protocol with (establish\$3 or messag\$3 or send\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/06 14:08
S13 0	3	"6122671" and (send\$3 with address\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/06 14:08